

Ark

MODULAR STORAGE SYSTEM

Design Henri Halla-aho

Common spaces come to life as you assemble Ark modules into functional and inspiring entities according to the intended use of the space. The goal of the designer was create a landscape-like, modular furniture solution that can be customized in many creative ways for use of storage, work and get-togethers.

The upholstered elements also improve the acoustics conditions of the space. The cabinet is one-sided or two-sided as desired. There are five different lock options available.

Materials and finishing

Frame	Melamine (white, light gray, dark gray or black).
Doors & cover plates	ISKU standard HPL (white, birch, oak, light/dark grey, black), veneers (birch, oak, beech, ash, stained beech and ash), technical veneer (LN). For doors also melamine (white, light/dark gray).
Plinth	Plastic (white, light/dark gray or black).

Dimensions

Dimensions, modules and lock options are presented on the ISKU Ark Datasheet.



Ark

MODULES (depth 600 mm)

STORAGE UNIT

Datasheet

The inner dimensions of the lockers:

1-sided cabinet

A	B	D 55 cm
		W 37 cm
		H 41 cm


2-sided cabinet

D	C	D 26 cm
A	B	W 37 cm
		H 41 cm



Cabinet with depth 600mm available in a variety of locker and door combinations.

The height of the plinth is 30mm with adjustable levelers.


Recycling unit includes two dark grey bins.





80 L
W 32 cm
H 76.2 cm



Wardrobe includes mirror and shelf



Recycling unit



Mail feed-through

Ark

STORAGE UNIT Datasheet

The inner dimensions of the locker:


1-sided cabinet



Module with depth 52cm is only available 1-sided.

The height of the plinth is 30 mm with adjustable levelers.

MODULES (depth 520 mm)



Ark

STORAGE UNIT

Datasheet

The upholstery fabrics can be chosen from the ISKU standard fabric collection.


The height of the plinth is 30 mm with adjustable levelers.
Colours: white, light/dark gray or black.

Please note, that the RFID user cards are needed to use the electric locks.


Instruction videos for the lock options:

<https://www.isku.com/global/en/ark-lock-instructions>

COMPLEMENTARY ELEMENTS_Cover plates



Top, 18 mm




Side, 18 mm




Back, 18 mm
(requires also the cover to the top)

COMPLEMENTARY ELEMENTS_upholstered elements




Upholstered elements available with ISKU standard fabrics

- A. Side panel
- B. Back panel
- C. Seat cover
- D. Back panel (whole cabinet)




The cabinets are available with upholstered back panels. The back can be covered either fully or partially with the panels of heights 184, 139 or 94cm.

LOCK OPTIONS



Electric Led lock
(invisible, only small led light visible front of the door)



RFID Electric Lock
(invisible, behind door)



Visible lock
(front of the door)



Cylinder lock with key



Number lock

The use of the numerical lock can be chosen as needed; personal or public. In personal mode, the lock code remains the same, and in public mode, the code resets each time. Locks are delivered in either personal or public mode. It is important that the factory-set code is changed. Detailed instructions for changing the code can be found in the lock installation manual.



Ark

ISKU
Since 1928



Learning

Ark

ISKU
Since 1928



Ark

ISKU
Since 1928



Ark

ISKU
Since 1928