

Link Line

FLOOR PARTITION SYSTEM

Link Line and Link Line Akusto partitions can be used to create spectacular and peaceful workstations and divide open spaces to smaller units. The partitions are built of horizontal elements from which you can design a configuration that suits the purpose. Link Line Akusto partitions are sound absorbing (B classified).

To build a more shielded space-within-the-space solution from the partitions there is also an element with sliding door available.

Materials and finishing

Frame and legs	Powder coated steel (silver)
Surface	Fabric upholstery or glass

Dimensions

Width	1200 / 1600 / 1800 / 2000 mm
Depth	60 mm
Height	870 / 1250 / 1630 mm

See the Link Line Datasheet for more information.



Link Line

FLOOR PARTITION SYSTEM

Datasheet

The partitions are always assembled from horizontal elements according to the customer's choice. The material and color of each element can be chosen separately and thus build unique and fascinating space solutions.

Glass elements bring privacy but create space in the space. Sound-absorbing panels, in turn, help control acoustics. The sliding door element allows solutions with full privacy.


Depending on the application, the legs of the partition are selected as either single-sided or double-sided.

Material of the screens

All elements can be upholstered with fabric (Soul, Blazer Life, Event Screen+, Xpress). The top and middle elements are available as glass.

Dimensions (cm)

Top and middle elements



N = fabric
P = glass

Bottom elements



M = fabric



Link Line

ISKU
Since 1928



Link Line

ISKU
Since 1928



Link Line

ISKU
Since 1928



Link Line

ISKU
Since 1928